

Index to Volume 37

Authors and Titles

Aldenhoven, J. M.
Different reproductive strategies in a sex-changing coral reef fish *Centropyge bicolor* (Pomacanthidae) 353

Allen, G. R. *See* Crowley, L. E. L. M.

Alongi, D. M.
Population structure and trophic composition of the free-living nematodes inhabiting carbonate sands of Davies Reef, Great Barrier Reef, Australia 609

Anderson, D. T. *See* Skilster, G. A.

Anderson, R. B. *See* Ward, T. J.

Arnott, G. H., Brand, G. W., and Kos, L. C.
Effects of food quality and quantity on the survival, development, and egg production of *Gladioferens pectinatus* (Brady) (Copepoda : Calanoida) 475

Arnott, G. H. *See also* Brand, G. W.

Arthington, A. H., Burton, H. B.,
Williams, R. W., and Outridge, P. M.
Ecology of humic and non-humic dune lakes, Fraser Island, with emphasis on the effects of sand infilling in Lake Wabby 743

Arthington, A. H., Yeates, G. W., and Conrick, D. L.
Nematodes, including a new record of *Tobrilus diversipapillatus* in Australia, as potential indicators of sewage effluent pollution 159

Baldwin, J. *See* Head, G.

Barnett, B. M., Hartwick, R. F., and Milward, N. E.
Descriptions of the nisto stage of *Scyllarus demani* Holthuis, two unidentified *Scyllarus* species, and the juvenile of *Scyllarus martensi* Pfeffer (Crustacea : Decapoda : Scyllaridae), reared in the laboratory; and behavioural observations of the nistos of *S. demani*, *S. martensi* and *Thenus orientalis* (Lund) 595

Benzie, J. A. H.
Phylogenetic relationships within the genus *Daphnia* (Cladocera : Daphniidae) in Australia, determined by electro-phoretically detectable protein variation 251

Bindoff, N. L. *See* Lilley, F. E. M.

Blaber, S. J. M.
Feeding selectively of a guild of piscivorous fish in mangrove areas of north-west Australia 329

Blaber, S. J. M. *See also* Bulman, C. M.

Boon, P. I.
Uptake and release of nitrogen compounds in coral reef and seagrass, *Thalassia hemprichii* (Ehrenb.) Aschers., bed sediments at Lizard Island, Queensland 11

Bowmer, K. H.
Rapid biological assay and limitations in macrophyte ectotoxicology: a review 297

Brand, G. W., Fabris, G. J., and Arnott, G. H.
Reduction of population growth in *Tisbe holothuriae* Humes (Copepoda : Harpacticoida) exposed to low cadmium concentrations 475

Brand, G. W. *See also* Arnott, G. H.

Brooker, K. S. *See* Potter, I. C.

Bulman, C. M., and Blaber, S. J. M.
Feeding ecology of *Macruronus novaezelandiae* (Hector) (Teleostei : Merlucciidae) in south-eastern Australia 621

Burton, H. B. *See* Arthington, A. H.

Byrnes, T.
Some ergasilids (Copepoda) parasitic on four species of Australian bream, *Acanthopagrus* spp. 81

Cadwallader, P. L., and Douglas, J.
Changing food habits of Macquarie perch, *Macquaria australasica* Cuvier (Pisces : Percichthyidae), during the initial filling phase of Lake Dartmouth, Victoria 647

Campbell, I. C.
Life histories of some Australian siphlonurid and oligoneuriid mayflies (Insecta : Ephemeroptera) 261

Caputi, N. *See* Penn, J. W.

Chessman, B. C.
Dietary studies of aquatic insects from two Victorian rivers 129

Impact of the 1983 wildfires on river water quality in East Gippsland, Victoria 399

Chubb, C. F., and Potter, I. C.
Age, growth and condition of the Perth herring, *Nematalosa Flemingi* (Munro) (Dorosomatinae), in the Swan Estuary, south-western Australia 105

Conrick, D. L. *See* Arthington, A. H.

Cooke, S. L. *See* Garland, C. D.

Correll, R. L. *See* Ward, T. J.

Cowdell, R. A. *See* Gibbs, C. F.

Creagh, S. *See* Johnson, M. S.

Crowley, L. E. L. M., Ivantsoff, W., and Allen, G. R.

Taxonomic position of two crimson-spotted rainbowfish, *Melanotaenia duboulayi* and *Melanotaenia fluviatilis* (Pisces: Melanotaeniidae), from eastern Australia, with special reference to their early life-history stages 385

Davies, P. E., and Sloane, R. D.

Validation of aging and length back-calculation in rainbow trout, *Salmo gairdneri* Rich., from Dee Lagoon, Tasmania 289

Douglas, J. *See* Cadwallader, P. L.

Fabris, G. J. *See* Brand, G. W.

Fancett, M. S.

Species composition and abundance of Scyphomedusae in Port Phillip Bay, Victoria 379

Ferguson, I. J. *See* Lilley, F. E. M.

Filloux, J. H. *See* Lilley, F. E. M.

Ganf, G. G., Stone, S. J. L., and Oliver, R. L.

Use of protein to carbohydrate ratios to analyse for nutrient deficiency in phytoplankton 183

Ganf, G. G. *See also* Roberts, J.

Garland, C. D., Cooke, S. L., McMeekin, T. A., and Valentine, J. E.

Effects of 0.2-μm membrane-filtered seawater as a culture medium on fertilized eggs of the Pacific oyster, *Crassostrea gigas* 713

Gibbs, C. F., Cowdell, R. A., and Longmore, A. R.

Seasonal variations of density patterns in relation to the Bass Strait cascade 21

Gibbs, C. F., Tomczak Jr, M., and Longmore, A. R.

The nutrient regime of Bass Strait 451

Gibbs, P. J. *See* Nell, J. A.

Griffiths, D. J. *See* Hawkins, P. R.

Hallegraeff, G. M., and Reid, D. D.

Phytoplankton species successions and their hydrological environment at a coastal station off Sydney 361

Hamilton, L. J.

Statistical features of the oceanographic area off south-western Australia, obtained from bathythermograph data 421

Hampton, J.

Effect of tagging on the condition of southern bluefin tuna, *Thunnus maccoyii* (Castelnau) 699

Harris, J. H.

Reproduction of the Australian bass, *Macquaria novemaculeata* (Perciformes: Percichthyidae) in the Sydney Basin 209

Hartwick, R. F. *See* Barnett, B. M.

Hawkins, P. R., and Griffith, D. J.

Light attenuation in a small tropical reservoir (Solomon Dam, north Queensland): seasonal changes and the effects of artificial aeration 199

Head, G., and Baldwin, J.

Energy metabolism and the fate of lactate during recovery from exercise in the Australian freshwater crayfish *Cherax destructor* 641

Hodda, M., and Nicholas, W. L.

Temporal changes in littoral meiofauna from the Hunter River estuary 729

Horwitz, P. H. J., and Richardson, A. M. M.

An ecological classification of the burrows of Australian freshwater crayfish 237

Ivantsoff, W. *See* Crowley, L. E. L. M.

Jenkins, G. P.

Composition, seasonality and distribution of ichthyoplankton in Port Phillip Bay, Victoria 507

Johnson, M. S., Creagh, S., and Moran, M.

Genetic subdivision of stocks of snapper, *Chrysophrys unicolor*, in Shark Bay, Western Australia 337

Jones, A. R., Watson-Russell, C. J., and Murray, A

Spatial patterns in the macrobenthic communities of the Hawkesbury Estuary, New South Wales 521

Kirkwood, G. P., and Walker, T. I.

Gill net mesh selectivities for gummy shark, *Mustelus antarcticus* Günther, taken in south-eastern Australian waters 689

Kokkinn, M. J.

Osmoregulation, salinity tolerance and the site of ion excretion in the halobiont chironomid, *Tanytarsus barbitarsis* Freeman 243

Kos, L. C. *See* Arnott, G. H.

Koste, W., and Shiel, R. J.

Rotifera from Australian inland waters. I. Bdelloidea (Rotifera: Diganonta) 765

Langdon, J. S.
Haemosiderosis in Platyccephalus bassensis and *Diodon niethererus* in south-east Australian coastal waters 587

Lennon, G. W. *See* Nunes, R. A.

Lilley, F. E. M., Mulhearn, P. J., Filloux, J. H., Bindoff, N. L., and Ferguson, I. J.
 Pressure fluctuations on the open-ocean floor: mid-Tasman Sea at 38°30'S., 162°38'E., near the Lord Howe Rise 27

Longmore, A. R. *See* Gibbs, C. F.

Lyle, J. M.
 Mercury and selenium concentrations in sharks from northern Australian waters 309

Corrigendum 669

MacFarlane, J. W., and Moore, R.
 Reproduction of the ornate rock lobster, *Panulirus ornatus* (Fabricius), in Papua New Guinea 55

Corrigendum 543

Mackey, D. J.
 Copper-complexing capacity of South Pacific waters 437

Merchant, R.
 Estimates of annual production for some aquatic insects from the La Trobe River, Victoria 113

McMeekin, T. A. *See* Garland, C. D.

Milward, N. E. *See* Barnett, B. M.

Moore, R. *See* MacFarlane, J. W.

Moran, M. *See* Johnson, M. S.

Mulhearn, P. J. *See* Lilley, F. E. M.

Murray, A. *See* Jones, A. R.

Nell, J. A., and Gibbs, P. J.
 Salinity tolerance and absorption of L-methionine by some Australian bivalve molluscs 721

Nicholas, W. L. *See* Hodda, M.

Norris, R. H.
 Mine waste pollution of the Molonglo River, New South Wales and the Australian Capital Territory: effectiveness of remedial works at Captains Flat mining area 147

Nunes, R. A., and Lennon, G. W.
 Physical property distributions and seasonal trends in Spencer Gulf, South Australia: an inverse estuary 39

Oliver, R. L. *See* Ganf, G. G.

Outridge, P. M. *See* Arthington, A. H.

Penn, J. W., and Caputi, N.
 Spawning stock-recruitment relationships and environmental influences on the tiger prawn (*Penaeus esculentus*) fishery in Exmouth Gulf, Western Australia 491

Penn, J. W. *See also* Potter, I. C.

Pickard, G. L.
 Effects of wind and tide on upper-layer currents at Davies Reef, Great Barrier Reef, during MECOR (July-August 1984) 545

Potter, I. C., Penn, J. W., and Brooker, K. S.
 Life cycle of the western school prawn, *Metapenaeus dalli* Racek, in a Western Australian estuary 95

Potter, I. C. *See also* Chubb, C. F.

Reid, D. D. *See* Hallegraeff, G. M.

Richardson, A. M. M. *See* Horwitz, P. H. J.

Roberts, J., and Ganf, G. G.
 Annual production of *Typha orientalis* Presl. in inland Australia 659

Robertson, C. H., and White, R. W. G.
 Feeding patterns of *Nesogobius* sp., *Gymnapistes marmoratus*, *Neoodax balteatus* and *Acanthaluteres spilomelanurus* from a Tasmanian seagrass meadow 481

Rochford, D. J.
 Seasonal changes in the distribution of Leeuwin Current waters off southern Australia 1

Shiel, R. J. *See* Koste, W.

Skilleter, G. A., and Anderson, D. T.
 Functional morphology of the chelipeds, mouthparts and gastric mill of *Ozus truncatus* (Milne Edwards) (Xanthidae) and *Leptograpsus variegatus* (Fabricius) (Grapsidae) (Brachyura) 67

Sloane, R. D. *See* Davies, P. E.

Stevens, J. D., and Wiley, P. D.
 Biology of two commercially important carcharhinid sharks from northern Australia 671

Stone, S. J. L. *See* Ganf, G. G.

Timms, B. V.
 Reconnaissance limnology of some coastal dune lakes of Cape York Peninsula, Queensland 167

Tomczak Jr, M. *See* Gibbs, C. F.

Valentine, J. E. *See* Garland, C. D.

Walker, T. I. *See* Kirkwood, G. P.

Ward, T. J., Correll, R. L., and Anderson, R. B.
 Distribution of cadmium, lead and zinc amongst the marine sediments, seagrasses and fauna, and the selection of sentinel accumulators, near a lead smelter in South Australia 567

Watson-Russell, C. J. *See* Jones, A. R.

Webb, C. J.
 Karyology of the Indo-Pacific *Perioglossus raoi* (Herré) (Teleostei : Gobioidei) from Fiji 347

White, R. W. G. *See* Robertson, C. H.

Whitelaw, A. W., and Sainsbury, K. J.
 Tag loss and mortality rates of a small tropical demersal fish species, *Lutjanus carponotatus* (Pisces : Lutjanidae), tagged with dart and anchor tags 323

Wiley, P. D. *See* Stevens, J. D.

Williams, M. J.
 Evaluation of anchor tags for marking the commercial sand crab, *Portunus pelagicus* (L.) (Portunidae : Decapoda) 707

Williams, R. W. *See* Arthington, A. H.

Williams, W. D.
 Conductivity and salinity of Australian salt lakes 177

Yeates, G. W. *See* Arthington, A. H.

Yule, C.
 Comparison of the dietary habits of six species of *Dinotoperla* (Plecoptera : Gripopterygidae) in Victoria 121

